



Advanced Technology. Simple Solutions.

# STUDIO POWER TIE-IN

## STE


Built for the diversity of film production, this generator tie-in enclosure is designed to provide a user-friendly connection point for cam-lock portable power equipment into a power system's main service entrance equipment. The weatherproof cabinet has a while-in-use design to maintain a 3R rating while the cables are connected.

### Features / Specifications

- Marine-grade aluminum construction
- Type 3R rated
- Hinged door with pour-in-place gasket
- Deadfront cover over lug connections
- Tin-plated copper or aluminum bussing
- Mechanical barrel lugs for permanent connections
- Colour-coded Cam-lock connectors or mechanical barrel lugs for temporary connections
- Indicator lights to identify there is active power on each phase
- 3 Analog ammeters display active current for phases A, B and C
- Digital Ammeter displays active current for neutral
- Main breaker with lock-off safety
- PC101 (ANSI 61) Grey powder coat finish

### Options

- Carbon or stainless steel construction
- Multiple configurations of termination lugs
- Phase monitoring
- Over-current protection
- Key interlock provision
- Type 1, 4, 4X, or 12 enclosures
- Anti-graffiti coating
- Custom sizes, materials, and colours
- Contact Valid for all available options



### Product Selection Guide Part Number:

1. PRODUCT		2. BUS RATING (AMPS)		3. SYSTEM VOLTAGE		4. # OF CONDUCTORS		5. INCOMING TERMINATIONS		6. MOUNTING STYLE	
STE	STUDIO POWER TIE-IN ENCLOSURE	XXX	BUS RATING IN AMPS	208	208V	3	3 WIRE	L	MECHANICAL LUGS	W	WALL-MOUNT
				240	240V	3G	3 WIRE + GROUND	F	FEMALE CAM-LOCKS	P	PAD-MOUNT
				480	480V	4	4 WIRE	M	MALE CAM-LOCKS		
				600	600v	4G	4 WIRE + GROUND				
<b>SAMPLE PART NUMBER:</b>											
STE		400		600		4G		M		W	