



Advanced Technology. Simple Solutions.

PARKING LOT CONTROLLER WITH LOGIC AND MAIN CONTACTOR

VPC-AA


The VPC-AA parking lot controller is an easily-installed device intended for mid-sized parking lot installations. With a durable finish in standard PC101 Grey powder coat paint, its weatherproof design is ideal for outdoor use. This line of parking lot controllers is designed for applications where distribution is in a separate location.

Features / Specifications

- Steel construction
- CSA Type 3R rated
- Padlockable draw latch(es) on door
- Temperature controller with adjustable setpoint
-34°C to 104°C (-30°F to 220°F)
- Standard 120/208V 3-phase
- 3-pole main contactor
- Temperature-sensing cable with weatherproof cover
- Wall-mounted enclosure
- PC101 Grey powder coat finish

Options

- Pad-mount design
- HOA switch to bypass logic
- Higher amperage ratings
- Single-phase (120/240V)
- Time-of-day clock
- Aluminum or stainless steel construction
- CSA type 1, 4, or 4X rated
- Remote-sensing thermostat
- Custom powder coat colours



PART NUMBER	MAIN CONTACTOR
VPC-AA-60	60A
VPC-AA-75	75A
VPC-AA-90	90A
VPC-AA-115	115A
VPC-AA-150	150A
VPC-AA-185	185A
VPC-AA-225	225A
VPC-AA-265	265A