



Advanced Technology. Simple Solutions.

PARKING LOT CONTROLLER WITH LOGIC MAIN CONTACTOR AND DISTRIBUTION PANEL

VPC-AB

The VPC-AB parking lot controller is an easily-installed device intended for mid-sized parking lot installations. With a durable finish in standard PC101 Grey powder coat paint, its weatherproof design is ideal for outdoor use. This family of parking lot controllers is all-encompassing with the distribution, contactor, and controller housed in a single enclosure.

Features / Specifications

- Steel construction
- CSA Type 3R rated
- Padlockable draw latch(es) on door
- Temperature controller with adjustable setpoint -34°C to 104°C (-30°F to 220°F)
- Standard 120/208V 3-phase
- Temperature-sensing cable with weatherproof cover
- Main contactor and circuit breaker panel
- Wall-mounted enclosure
- PC101 Grey powder coat finish

Options

- Pad-mount design
- HOA switch to bypass logic
- Higher amperage ratings
- Various configurations of panel sizes and poles
- Single-phase (120/240V)
- Time-of-day clock
- Aluminum or stainless steel construction
- CSA type 1, 4, or 4X rated
- Remote-sensing thermostat
- Custom powder coat colours

PART NUMBER	MAIN CONTACTOR	CIRCUITS
VPC-AB-60-12	60A	12
VPC-AB-75-12	75A	12
VPC-AB-90-18	90A	18
VPC-AB-90-30	90A	30
VPC-AB-115-30	115A	30
VPC-AB-150-30	150A	30
VPC-AB-150-42	150A	42
VPC-AB-185-30	185A	30
VPC-AB-185-42	185A	42
VPC-AB-225-30	225A	30
VPC-AB-225-42	225A	42

